

## Description

The SU600-02 SingleSense® Single-Use pH Sensor is a flow-through sensor with 1/8-inch hose barbs. Designed for downstream bioprocess applications.

## Purchase Information

Part Number	SU600-02
Description	Single-use flow-through pH sensor, 1/8-inch

## Classification

Model Type	SU600
Product Type	pH Sensor

## Specifications

### Measurement

Type	pH
Principle	Potentiometric
Range	2–12 pH
Drift	≤ 0.01 pH per day

### Operational Range

Temperature	15°–50° C [60°–122° F]
Pressure	0–3040 mmHg [0–45 psig]
Maximum Flow Rate	0.9 liters/minute [0.23 gallons/minute]

### Signal

Input	Not applicable
Output	Sensor: Millivolts: $\pm 414$

### Sterilization

Autoclavable	Not autoclavable
Steam Sterilizable	Not steam sterilizable
Gamma Sterilizable	Yes, up to 50 kGy

### Connectors and Cables

Connector	8-pin Variopin
Cable Length	0.15 m [6 inches]

### Process Interface


Insertion Method	1/8-inch Hose Barbs
Insertion Length	Not applicable

## Wetted Materials


PEEK, USP Class VI, ADI-Free, Extraction Tested  
Dimethyl Silicone Rubber, Pt Cure, USP Class VI Extraction Tested, 21CFR, 177.2600  
EPDM USP Class VI, FDA Compliant, ADI-Free  
HDPE, USP Class VI  
Lead-Free Glass, Alumina Silicate



Isometric View



Side View



Top View with Dial Face



## Packaging and Regulations

### Packaging Information

Package Type ..... Cardboard box with double-bagged sensor inside  
 Package Dimensions ..... 30.48 x 30.48 x 5.08 cm [12 in x 12 in x 2 in]  
 Package Weight ..... < 0.5 kg [1 lb]  
 Double Bagged ..... Yes, sensor is double-bagged  
 Cleanhood Bagged ..... Yes, inner bag only  
 Cleanhood Class ..... Class 7 Clean Air Hood  
 Storage Conditions ..... Temperature: 5°–35° C [41°–95° F]  
 Included Accessories ..... Not applicable  
 Quality Certificate ..... Included  
 Shelf Life ..... 36 months  
 Shelf Life Post Gamma Sterilization ..... 30 months

### Origination and Tariff Code

Harmonized Tariff Trade Code ..... 9027803100  
 Country of Origin ..... USA  
 MFR Location ..... California, USA

### Purchasing Information

Unit of Sale ..... Each  
 Minimum Purchase Quantity ..... Each

### Regulatory and Compliance

CE Compliant ..... Yes  
 RoHS Compliant ..... Yes  
 REACH Compliant ..... Yes  
 CFR 21-11 Compliant ..... Not applicable  
 BSE/TSE/ADI Free ..... Yes  
 USP Class VI Compliant ..... Yes, all wetted parts  
 FDA Material Compliant ..... Yes, all wetted parts

The contents of this publication are presented for information purposes only, and while every effort has been made to ensure their accuracy, they are not to be construed as warranties or guarantees, express or implied, regarding products or services described herein or in their use or applicability. All sales are governed by our terms and conditions, which are available on request. We reserve the right to modify or improve the design or specification of such products at any time.



#### North America and Pacific

Email: [sales@broadleyjames.com](mailto:sales@broadleyjames.com)  
 Web: [www.broadleyjames.com](http://www.broadleyjames.com)

Phone: +1-949-829-5555  
 Fax: 1-949-829-5560

19 Thomas, Irvine, CA, 92618 USA

#### United Kingdom and EU Countries

Email: [sales@broadleyjames.co.uk](mailto:sales@broadleyjames.co.uk)  
 Web: [www.broadleyjames.eu](http://www.broadleyjames.eu)

Phone: +44 (0)1525 862518  
 Fax: +44 (0)1525 862811

Wrest Park, Silsoe, Bedford MK45 4HS, UK