

Description

The SingleSense® Model SU400 Single-Use Conductivity Sensor is gamma irradiation compatible and designed for preinstallation into a bioprocess container (BPC) via a 1-inch hose barb port. Ideally suited for upstream applications such as media prep and cell culture.

Model	SU400
Part Number	SU400-16-M1

Sensor Specifications

Type	Conductivity
Measurement Principle	4-electrode sensor
Output Signal	Analog
Measurement Range	0.1 - 100 mS/cm
System Accuracy	0.1 - 1 mS/cm +/- 0.05 mS/cm 1 - 100 mS/cm +/- 5%
Operating Temperature	4°C - 50°C [39°F - 122°F]
Temperature Accuracy	+/- 0.1 °C
Shelf Life	30 months
Gamma Tolerance Level	50 kGy
Process Connection	1-inch hose barb port
Sensor Connector	M12-8
Temperature Sensor	Pt 1000

Wetted Materials

Main Sensor Body	PEEK
Electrodes	Stainless steel 316L
Port Gasket	Dimethyl silicone rubber Pt cure

Regulatory Compliance

USP Class VI	Yes, all wetted parts
REACH Compliant	Yes
RoHS Compliant	Yes
BSE/TSE/ADI Free	Yes



SU400-16-M1 Single-Use
Conductivity Sensor

Packaging Information

Package Type Outer packaging cardboard
Package Dimensions 20.32 x 8.89 x 5.72 cm [8 x 3.5 x 2.25 in]
Package Weight < 0.5 kg [1 lb]
Double Bagged Yes
Cleanhood Bagged Yes
Cleanhood Class Class 7 Clean Air Hood
Storage Conditions Temperature: 5 - 35°C [41 - 95°F]
Included Accessories Not applicable
Quality Certificate Included

Origination

Country of Origin USA
MFR Location California, USA

Purchasing Information

Unit of Sale Each
Minimum Purchase Quantity Each

The contents of this publication are presented for information purposes only, and while every effort has been made to ensure their accuracy, they are not to be construed as warranties or guarantees, express or implied, regarding products or services described herein or in their use or applicability. All sales are governed by our terms and conditions, which are available on request. We reserve the right to modify or improve the design or specification of such products at any time.

Doc Nbr: PDS-082402 R3
© April 2026 Broadley-James Corporation. All rights reserved. Visit www.broadleyjames.com/IP for patent and trademark information.

TMP-PDS-112001 R3



North America and Pacific

Email: sales@broadleyjames.com Phone: 949-829-5555
Web: www.broadleyjames.com Fax: 949-829-5560

19 Thomas, Irvine, CA, 92618 USA

United Kingdom and EU Countries

Email: sales@broadleyjames.co.uk Phone: +44 (0)1525 862518

Wrest Park, Silsoe, Bedford MK45 4HS, UK