


# How do I select a FermProbe pH sensor?

## FermProbe<sup>®</sup> pH sensors with T-Pull<sup>®</sup> Cap



The T-Pull cap eases installation and removal of the sensor from the housing and greatly reduces fatigue of the extension cable. The sensor can be removed from the housing without rotating the sensor and twisting the cable, further reducing cable fatigue.

### Features:

The contents of this publication are presented for information purposes only, and while every effort has been made to ensure their accuracy, they are not to be construed as warranties or guarantees, express or implied, regarding products or services described herein or in their use or applicability. All sales are governed by our terms and conditions, which are available on request. We reserve the right to modify or improve the design or specification of such products at any time.

© 2026 Broadley-James Corporation. All rights reserved. Visit [www.broadley-james.com/trademarks](http://www.broadley-james.com/trademarks) for trademark information.

FAQ-5027  
TMP-BF-102101

# How do I select a FermProbe pH sensor?

- Rugged T-Pull cap eases sensor removal. No tools required.
- T-Pull design greatly reduces cable fatigue.
- Sensor retainer nut is part of handle. Cannot be lost or misplaced.
- Standard S8 detachable cable connection.
- Available in both disconnect cap and integral cabled versions.

---

## FermProbe<sup>®</sup> pH sensors with Standard S8 Metric Cap

---


The contents of this publication are presented for information purposes only, and while every effort has been made to ensure their accuracy, they are not to be construed as warranties or guarantees, express or implied, regarding products or services described herein or in their use or applicability. All sales are governed by our terms and conditions, which are available on request. We reserve the right to modify or improve the design or specification of such products at any time.

© 2026 Broadley-James Corporation. All rights reserved. Visit [www.broadley-james.com/trademarks](http://www.broadley-james.com/trademarks) for trademark information.

FAQ-5027  
TMP-BF-102101

# How do I select a FermProbe pH sensor?

F-635 pH electrode with S8 metric cap



Model F-635 pH FermProbe

This FermProbe style features a standard S8 detachable cable connection on a metric threaded polymer cap that allows the sensor to be used with European style sensor housings. The design requires the rotation of the sensor during installation. It is compatible with Eurodesigned housings requiring a metric Pg13.5 threaded sensor cap.

## Features:

- Standard S8 detachable cable connection
- Polymer disconnect cap with metric Pg13.5 threads.

The contents of this publication are presented for information purposes only, and while every effort has been made to ensure their accuracy, they are not to be construed as warranties or guarantees, express or implied, regarding products or services described herein or in their use or applicability. All sales are governed by our terms and conditions, which are available on request. We reserve the right to modify or improve the design or specification of such products at any time.

© 2026 Broadley-James Corporation. All rights reserved. Visit [www.broadley-james.com/trademarks](http://www.broadley-james.com/trademarks) for trademark information.


FAQ-5027  
TMP-BF-102101

# How do I select a FermProbe pH sensor?

- Compatible with European designed bioprocess housings.

## FermProbe<sup>®</sup> pH sensors with K9 Metric Cap

F-695 pH electrode with K9 metric cap



Model 335  
Metric Housing

Model F-695 pH FermProbe

This FermProbe style features a K9 detachable cable connection on a metric threaded polymer cap that allows the sensor to be used with European style sensor housings. The design requires the rotation of the sensor during installation. It is compatible with Euro-designed housings requiring a metric Pg13.5 threaded sensor cap.

The contents of this publication are presented for information purposes only, and while every effort has been made to ensure their accuracy, they are not to be construed as warranties or guarantees, express or implied, regarding products or services described herein or in their use or applicability. All sales are governed by our terms and conditions, which are available on request. We reserve the right to modify or improve the design or specification of such products at any time.

© 2026 Broadley-James Corporation. All rights reserved. Visit [www.broadley-james.com/trademarks](http://www.broadley-james.com/trademarks) for trademark information.

FAQ-5027  
TMP-BF-102101

# How do I select a FermProbe pH sensor?

## Features:

- K9 detachable cable connection
- Polymer disconnect cap with metric Pg13.5 threads.
- Compatible with European designed bioprocess housings.

---

The contents of this publication are presented for information purposes only, and while every effort has been made to ensure their accuracy, they are not to be construed as warranties or guarantees, express or implied, regarding products or services described herein or in their use or applicability. All sales are governed by our terms and conditions, which are available on request. We reserve the right to modify or improve the design or specification of such products at any time.

© 2026 Broadley-James Corporation. All rights reserved. Visit [www.broadley-james.com/trademarks](http://www.broadley-james.com/trademarks) for trademark information.

FAQ-5027  
TMP-BF-102101